



**EL-AMIN**  
COMPUTER CENTER



**COMPANY  
PROFILE  
2025**



2025





**EL-AMIN**  
COMPUTER CENTER

## PROFILE CONTENT

Chairman's Message 03

About Us 04

Brief 05

Our Mission & Vision 06

Our Milestone 07

Our Team 09

Our Partners 11

Our Vendors 12

Our Certificate 13

Our Events 14

Our Clients 22

Brief Profile Of Our Vendors 29

El Amin Warehouse 55

Al-Bostan Branch 57

# Chairman's Message



**KHALED EL-AMIN**

**CEO-FOUNDER**

**LIFE IS  
MEANINGLESS  
WITHOUT  
CHALLENGES**

## **STATIONS IN THE HISTORY OF EL-AMIN COMPANY**

- 1995** Starting To El-Amin Factory for office furniture
- 1998** We Move on from manufacturing office furniture to trading computer accessories
- 2001** Established First Retail Shop In Nasr City
- 2003** El-Amin Established 2ND Retail Shop In Al-Bostan Commercial Center
- 2005** Start to Import Computer Accessories & network from Taiwan & China and sign contract for Master Egypt Agent
- 2010** Administrative Building For El-Amin Company Established In El Haram Giza
- 2014** El-Amin Signed With D-LINK As A Distributor
- 2015** El-Amin Signed With HYPERTECH As A Distributor
- 2016** El-Amin Signed With DINTEK As A Distributor
- 2017** El-Amin Signed With AKIS As A Distributor
- 2020** Expand Store From 2000 To 6500 M
- 2023** El-Amin In Smart Village
- 2024** El-Amin In Walk of Cairo (WOC)

# ABOUT US

## El Amin Group



### Headquarters of El-Amin

- El-Amin Technology Mall is being equipped in Sheikh Zayed at Walk of Cairo
- It is located at Mall Walk of Cairo B34 - Beverly Hills - Sheikh Zayed - Giza

### El Amin Import & Export

- Sole Proprietorship Founded in 1995 and is specialized in the sector **Retail Company**
- It is located in Al-Bostan Mall in Tahrir Cairo.



### El Amin Store

- The Store of El-Amin Company
- It is ISO 9001 certified.
- Registered with the Egyptian General Organization for Standardization and Quality No. 04075101.
- It is located at Haram, Giza.



# BRIEF

El Amin established in 1995 and started its activity in the field of trading and importing computer supplies Then its activity was developed to include computer networks in 2003 and since that time it has been working in the Egyptian market with stability and growth with the aim of providing all the necessary needs for companies working in the field of computer, information and communication technology and companies working in the field of light current systems Until we have now reached the provision of 5000 items in one showroom and throughout this period and over the course of 29 twenty nine years; And we took for ourselves a motto that we called **(5 Best)**

## 5 BEST



In the end, we are racing against time and continuing day and night to develop and improve our services and provide everything that is new in the global market to participate in supporting Egypt towards the gateway to the future.

# OUR MISSION

Through our deep knowledge of the Egyptian Market needs and Customer expectations, we maintain the well known Reputation through: Sufficient stock level of all the Products related to Networking Solutions and consider our experience in the Distribution business to smoothly support our Partners on different levels like: Technical, Sales, Marketing, Design, consultation, logistics and best practices for the Industry to proof the common statement that the (Customer Comes First) El-Amin Company isn't only interested in providing the latest and best equipment and materials to its customers, but also cares about training them on how to deal with it, so we prepared Training halls by using scientific and practical means To provide the best training methods with the participation of our partners



## MISSION




# OUR VISION

To be the most preferred IT Retail Shop for our Valuable Customers in the whole Egyptian Market.



# OUR **MILLSTONE**





# OUR **MILLSTONE**

El-Amin Signed With D-LINK As A Distributor

El-Amin Signed With HYPER-TECH As A Distributor

El-Amin Signed With DINTEK As A Distributor

El-Amin Signed With AKIS As A Distributor

Expand Store From 2000 To 6500 M

El-Amin In Smart Village



2014

2015

2016

2017

2020

2023

NEW GOAL

2024

El-Amin In Walk of Cairo

# OUR TEAM



**Mr. Alaa El-Amin**

DIRECTOR MANAGER



**Eng: Ezz El-Amin**

SECURITY SYSTEMS  
SALES MANAGER



**Mrs. Yasmen El-Amin**

LOGISTIC MANAGER



# OUR TEAM



**Mr. Ahamed Elkady**

PASSIVE SOLUTION  
SALES MANAGER



**Mr. Mahmoud Rady**

COMPUTER ACCESSORIES  
SALES MANAGER



**Mr. Mohamed Kamal**

CUSTOMERS SERVICE  
MANAGER



**Eng. Mohamed Rady**

DIGITAL MARKETING



# OUR PARTNERS

Our goal is to provide all computer supplies, hardware, networks and accessories, and light current systems In One Retail Shop For all And over the course of twenty-seven years in the Egyptian market, we have reached more than 5000 items, we have provided our services to more than 50,000 companies between the public and private sector, we continue day and night to provide the best possible service to our clients and success partners.

Our goal is to provide all computer supplies, hardware, networks and accessories, and light current systems

**LINKSYS**

**CISCO**

**D-Link**  
Building Networks for People

**airlive**

**REDRAGON**


**HUAWEI**

**SMART  
KEEPER**

**HIKVISION**

to provide the best possible service to our clients and success partners.

# OUR VENDORS



## INTERNATIONAL AWARDS

D-Link Honoring El-Amin Company in Indonesia - Bali as the best distributor - SCS in Africa.

2024

D-Link Honoring El-Amin Company in the UAE - Dubai among the best distributor in Egypt.

2021

D-Link Honoring El-Amin Company in Vietnam among the best distributor in the Middle East.

2019

D-Link Honoring El-Amin Company in Singapore as the best distributor in Egypt.

2018

DINTEK Honoring El-Amin Company in Taiwan as the best distributor in Egypt.

2017

D-Link Honoring El-Amin Company in Germany - Munich as the best distributor in Egypt.

2016

D-Link Honoring El-Amin Company in South Africa - Cape Town as the best distributor - Passive Solution in the Middle East.

2015

# OUR CERTIFICATE



# OUR **EVENTS**



## **DINTEK 2018**



# OUR **EVENTS**

## CAIRO ICT 2018



## VETNAM 2019



**WE DISCUSS  
AND SEARCH  
TO DEVELOP**





# OUR **EVENTS**

## CAIRO ICT 2019



## Nile Ritz Carlton Cairo Eftar 2019



# OUR **EVENTS**



**CABLEX 2023**



# OUR **EVENTS**



## DLINK COURSE 2023



WORKSHOP  
**TRAINING**  
DEVELOPMENT


EDUCATION ABILITY SKILLS INSTRUCTION PRACTICE



# OUR EVENTS



**BEST DISTRIBUTER SCS IN AFRICA 2023**



# OUR **EVENTS**

## DAHUA EGYPT BEST PERFORMANCE 2023



## AL KAMAL SCHOOLS TREND LINK TRAINING 2024



## DAHUA EGYPT TRAINING 2024



# OUR **EVENTS**



## CABLEXX 2024



# OUR CLIENTS



# OUR CLIENTS



مستشفى دار الفؤاد  
Dar Al Fouad Hospital



مستشفى مصر الدولي



GANZOURI  
SPECIALIZED HOSPITAL  
مستشفى الجوزي التخصصي

المركز الطبي  
للمقاولون العرب

مستشفيات كليوباترا  
مستشفى قنفذة التخصصي



CLEOPATRA HOSPITALS  
CAIRO SPECIALISED HOSPITAL



مؤسسة مستشفى  
الأطفال بالبحريين  
57357  
Children's Cancer Hospital Foundation



مستشفى النزهة الدولي



مستشفى النيل باركات  
NILE BARAKAT HOSPITAL



بنك الاستثمار العربي  
ARAB INVESTMENT BANK



Al Safwa  
HOSPITAL  
8<sup>TH</sup> OCTOBER CITY



HSBC



مستشفى وادي النيل  
WADI EL NEEL HOSPITAL

بنك عوده  
Bank Audi

1162 484 924 120



THE BEHMAN



النادي المصري  
لللعاب الرياضية  
1920



جامعة عين شمس



Bank ABC



A BANK TO TRUST

ALEXBANK  
بنك الإسكندرية



جامعة عين شمس

المصرف المتحد  
The United Bank



# OUR CLIENTS

## الوزارات

وزارة الدفاع	وزارة الصناعة
وزارة الانتاج الحربي	وزارة القوى العاملة
وزارة الداخلية	وزارة قطاع الأعمال
وزارة الاوقاف	وزارة السياحة والاثار
وزارة الخارجية	وزارة التربية و التعليم
وزارة النقل	وزارة الصحة والسكان
وزارة الطيران المدني	وزارة التجارة و الصناعة
وزارة التعاون الدولي	وزارة الإسكان و المرافق و المجتمعات العمرانية
وزارة التنمية المحلية	وزارة التموين و التجارة الداخلية
وزارة الكهرباء و الطاقة	وزارة التعليم العالى و البحث العلمى
وزارة التخطيط و المتابعة و الاصلاح الادارى	وزارة الاتصالات
وزارة البترول و الثروة المعدنية	وزارة المالية
وزارة الزراعة و استصلاح الاراضي	وزارة البيئة
وزارة الموارد المائية و الري	وزارة العدل
وزارة التضامن الاجتماعى	وزارة الثقافة

## المؤسسات

جمعية رسالة للأعمال الخيرية	شركة اتوبيس القاهرة الكبرى
الشركة المصرية للاتصالات	شركة مصر للسياحة
المقاولون العرب	الشركة الهندسية للأنشاء والتعمير
اوراسكوم	شركة مياة الشرب للقاهرة الكبرى
جريدة الاهرام	شركة النصر للتعدين
مطابع الهيئة	دايس للملابس الجاهزة
مطابع زمزم	سكة حديد مصر
مطابع الشرطة	مصر للبترول
مطابع دار نهضة مصر	برج القاهرة
المطابع الأميرية	شركة مصر للطيران
مطابع اخبار اليوم	شركة عمر افندى
شركة اتصالات مصر	مؤسسة دار المعارف
شركة اورانج مصر للاتصالات	سيراميك كليوباترا
شركة معمار المرشدي	

# OUR CLIENTS

## البنوك

البنك المصري لتنمية الصادرات	كريدي اجريكول	بنك مصر
المصرف العربي الدولي	بنك قناة السويس	بنك المركزى المصرى
بنك ابو ظبى الاول	بنك الاستثمار العربي	البنك الاهلي المصري
سي تي بنك	بنك الاهلى الكويتي	بنك ناصر الاجتماعي
البنك العربي	بنك عوده	البنك العقاري المصرى العربى
بنك باركليز	بنك فيصل الاسلامى	البنك الزراعى المصرى
بنك الشفاء المصرى	بنك التعمير و الاسكان	بنك التنمية الصناعية
البنك الاهلى اليونانى	بنك الكويت الوطنى	بنك القاهرة
بنك بيرىوس	مصرف ابوظبى الاسلامى	بنك المصرف المتحد
بنك الاتحاد الوطنى	بنك ابوظبى التجارى	بنك اسكندرية
بنك الشركة المصرية النورس	البنك العربى الافريقي	البنك التجارى الدولى
بنك بلوم	بنك اتش اس بي سي	بنك المصرفية العربية الدولية
		المؤسسة العربية المصرفية

## الجامعات

جامعة الدلتا للعلوم و التكنولوجيا	الجامعة الامريكية بالقاهرة	جامعة القاهرة
الكلية الكندية الدولية	الجامعة الالمانية بالقاهرة	جامعة الاسكندرية
جامعة مصر للتعليم الالكترونى	جامعة 6 اكتوبر	جامعة عين شمس
الجامعة العمالية	جامعة الاهرام الكندية	جامعة اسيوط
جامعة مصر الدولية	الجامعة البريطانية	جامعة الازهر
جامعة بدر	جامعة النيل	جامعة حلوان
الجامعة الحديثة للتكنولوجيا و	جامعة مصر الدولية	جامعة قناة السويس
المعلومات MTI	جامعة المستقبل	اكاديمية السادات للعلوم الادارية
	جامعة اكتوبر للعلوم الحديثة	جامعة جنوب الوادي
	جامعة مصر للعلوم والتكنولوجيا	جامعة بنها
	الاكاديمية الحديثة بالمعادي	جامعة الفيوم
	جامعة النهضة	جامعة بنى سويف
	الاكاديمية العربية للعلوم و	الجامعة المصرية اليابانية
	التكنولوجيا و النقل البحري	للعلوم والتكنولوجيا

# OUR CLIENTS

## السفارات

سفارة البرازيل	سفارة الامارات	السفارة الامريكية
سفارة اسبانيا	سفارة اليونان	السفارة البريطانية
المكتب الثقافى لسفارة الكويت	السفارة الروسية	السفارة الإيطالية
السفارة السورية	سفارة العراق	الملحقية الثقافية لسفارة الامارات
سفارة سويسرا	سفارة السودان	سفارة نيوزيلندا
		سفارة السنغال

## الاندية

نادى مدينة 6 اكتوبر	نادى ضباط الشرطة	نادى الاهلي
نادى السعيد	نادى نقابة المهن التعليمية	نادى الزمالك
النادي المصري القاهري	النادى القومى	نادى الشرقية للدخان
نادي القطامية جاردن	نادى ميت غمر الرياضي	نادى الصيد المصري
نادى مياة القاهرة الكبرى	نادى الطفل	نادى جمارك القاهرة
نادى يخت الجيزة	نادى الظاهر	نادى الرحاب
نادى الفروسية بالجزيرة	نادى الاطفال 6 اكتوبر	نادى هيئة التدريس جامعة القاهرة
نادى النخيل	نادى حلوان العام	نادى الاطفال
نادى السيارات	نادى العاصمة	نادى نقابة المهندسين
نادى النصر	نادى النيابة الادارية	نادى السيارات و الرحلات المصري
نادى الزراعيين	نادى الجزيرة الرياضي	نادى القطامية جاردنز
نادى اتحاد الشرطة	نادى الشيخ زايد	نادى النصر الرياضي
نادى التوفيقية للتنس	نادى القاهرة الرياضي	نادى النخيل الاجتماعى
نادى بلاتينيوم	نادى الموهوبين	نادى هليوبوليس الرياضى
نادى المركز الكشفى العربى	نادى طلبة دولة قطر	نادى القضاة
نادى الجلاء لضباط القوات المسلحة	نادى المقاولون العرب	نادى المعادى الرياضي واليخت
نادى دريم لاند	نادى هليوبوليس	نادى نقابة المهندسين
	نادى نقابة المهن التمثيلية	نادى بهتيم الرياضي



# OUR CLIENTS

## المدارس

مدرسة مودرن اسكول	مدرسة الخلفاء الراشدين	مدرسة الرؤية الجديدة
مدرسة عمر بن الخطاب	مدرسة زهراء الاندلس	مدرسة دار التربية
مدرسة زهور الياسمين	مدرسة سان رايز	مدرسة ميزو هاوس
مدرسة اليس للغات	مدرسة القادة ليدرز	مدرسة بى بى سى
مدرسة نوبة المستقبل الخاصة	مدرسة مينا	مدرسة الملكة
مدرسة ريماس	مدرسة جرين هاييتس	مدرسة الربوه للغات
مدرسة برنت هاييتس للغات	مدرسة السلمانية الدولية	مدرسة الاورمان
مدرسة الحرية	مدرسة ليسيه الهرم	مدرسة وادى دجلة
مدرسة العروبة	مدرسة مهارات	مدرسة منارة القاهرة
مدرسة الحسينية	مدرسة النصر	مدرسة بيراميدز
مدرسة الحسام المتكاملة	مدرسة القرية الذكية	مدرسة مطر اسكول
مدرسة مستر اكاديمي	مدرسة الصرح الخاصة	مدرسة امجاد
مدرسة الوادى	مدرسة الرضوان	مدرسة طلائع المستقبل
مدرسة الصرح	مدرسة المصرية الرائدة	مدرسة المستقبل الحديثة
مدرسة دار الطفل ودار التربية	مدارس علوى للغات	مدرسة الامانه العامة للمدارس
مدرسة الشيخ الشعراوى	مدرسة اون هليوبليس	مدرسة مصر للغات
مدرسة سانت فاتيما بدر الدولية	مدرسة منارة القاهرة	مدرسة القديس يوسف
مدرسة بيبى جاردن	مدرسة ويندوز	مدرسة المارونية
مدرسة جمعية الشبان المسلمين	مدرسة السلام الخاصة	مدرسة النيل المصرية
مدرسة بايونيرز للغات		مدارس فضل الحديثة



# OUR CLIENTS

## المستشفيات

مستشفى د/ محمد الشبراوي	مستشفى ابن سينا	المستشفى الدولي
مستشفى د/ مصطفى محمود	مستشفى احمد ماهر التعليمي	المستشفى العربي
مستشفى د/ نعمان	مستشفى اطفال مصر	المستشفى القبطي
مستشفى د/ احمد ابراهيم بدران	مستشفى الاتحاد	المستشفى الوطنى للعيون
مستشفى د/ عبد القادر فهمى	مستشفى الجنزورى	الهيئة العامة للتأمين الصحى
مستشفى د/ عثمان المعادى	مستشفى الجولف	مستشفى بنى سويف
مستشفى د/ علاء عزت	مستشفى الجوى التخصصى	مستشفى 57357
مستشفى د/ بدران المهندسين	مستشفى الجيزة الدولى	مستشفى الحكمة
مستشفى د/ عزت المعادى	مستشفى الحسين الجامعى	مستشفى الحوض المرصود
مستشفى المركز العربي الطبى	مستشفى الشرطة	مستشفى الخير و البركة
مستشفى المفربى	مستشفى الشروق	مستشفى الدرة
مستشفى المقطم للتأمين الصحى	مستشفى الشيخ زايد التخصصى	مستشفى الراعى الصالح
مستشفى المنيل الجامعى	مستشفى الصحة النفسية	مستشفى الرحمة التخصصى
مستشفى النخيل	مستشفى الصفوة	مستشفى الاطفال ابو الريش
مستشفى الندى	مستشفى العالمين	مستشفى الامل
مستشفى النزهة الدولى	مستشفى المجوزة	مستشفى البنك الاهلى
مستشفى النيل بدرأوى	مستشفى العربى	مستشفى التحرير العام
مستشفى الهرم	مستشفى العيون الدولى	مستشفى التقوى
مستشفى الهلال	مستشفى الغندور بلبيس	مستشفى التوفيق التخصصى
مستشفى الواحة	مستشفى الفاروق بالمعادى	مستشفى النصر
مستشفى الهيئة المريية للتصنيع	مستشفى الفيروز	مستشفى الاسلامى العزيز بالله
مستشفى امبابة العام	مستشفى القاهرة الفاطمية	مستشفى الرضا التخصصى
مستشفى اورام الاطفال	مستشفى القاهرة الجديدة	مستشفى الرواد للعيون
مستشفى القصر العيني	مستشفى الكاتب	مستشفى الزراعين
مستشفى المبعوثين الخيري	مستشفى الكهرباء	مستشفى الزهور
مستشفى الماظا العسكرية	مستشفى الكوكب	مستشفى السلام الدولى
		مستشفى الدولى للكلى و المسالك البولية

# BRIEF PROFILE OF OUR VENDORS





## About D-Link:

D-Link helps you connect to more of everything with our innovative approach to computer networking. From relatively modest beginnings in Taiwan, the company has grown over the last 35 years into an exciting global brand offering the most up-to-date network solutions.

Whether it is to suit the needs of the home consumer.

a business or service provider, we take pride in offering award-winning networking products and services.

we will continue to lead the way in building networks for people around the world.

## Company Overview:

Founded in 1986, D-Link is a global leader in the design, manufacture and marketing of advanced networking, broadband, digital, voice and data communications solutions.





Following our company motto, "Building Networks for People", D-Link continually meets the global networking and connectivity needs of digital home consumers, small office professionals, small- to medium-sized businesses, and enterprise environments.

D-Link's core competency is in Ethernet connectivity. In fact, we are the global leader in providing network connectivity solutions to small and medium sized business. From the beginning, D-Link engineers have researched, designed, and manufactured innovative, standards-based networking solutions. We sell our state of the-art hardware at the best prices. Price may be the deciding factor for many new customers, but D-Link innovation, reliability and service keeps them loyal year after year.

A major contributor to our success is our established and expanding network of global distribution and delivery channels that brings products to more than 100 countries every day. We do more than meet the growing demand for computer networking and communications solutions via our development of global distribution channels in more than 100 countries has resulted in double digit growth every year for 20 years. D-Link surpassed the \$1 billion revenue milestone in 2005, driven by record sales in every geographic region of the world.

## Innovation Leader:

Our engineers have been key contributors to the development of the rapidly expanding home and business networking environment we take for granted today. D-Link has been awarded patents and copyrights on a variety of technology platforms - including Application Specific Integrated Circuit (ASIC) computer chips, hardware technology designs, software applications and other intellectual properties. D-Link product solutions are high-performance and feature-rich by design. As a key contributor to the Digital Home Working Group (DHWG), D-Link embraces industry standards as criterion for the development of new and innovative connectivity and communications solutions for home and business. D-Link products are certified by the FCC, the Wi-Fi Alliance, and Cable Labs.

3801 US Route 15  
Culford, New York 13645-0824  
Phone Number: (800) 345-3811  
Fax Number: (800) 750-6157  
Web: www.intertek.com

**Intertek**


**ETL Verified Certificate of Conformance Number: 101450856CRT-001a**

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

<b>Applicant:</b> D-Link Corporation No. 289, Xinyu 2nd Road Nanhua District Tapei TAINI 114, Taiwan Contact: Mr. Joe Chou	<b>Manufacturer:</b> D-Link Corporation No. 289, Xinyu 2nd Road Nanhua District Tapei TAINI 114, Taiwan Contact: Mr. Joe Chou
---	--

Verification/Report Number: 10305752CRT-021c

**Product Tested:**  
3-Connector Channel  
Near End



Component ID	Manufacturer	Part Number	Description
1	D-Link	NCR-CEJGRYR14	Push Cord
2	D-Link	NPP-CEJBLQ2H	Push Panel
3	D-Link	NCR-CEJGRYR14	Horizontal Cable
4	D-Link	NCR-CEJGRYR14	Stranded Wire
5	D-Link	NCR-CEJGRYR14	Push Cord
6	D-Link	NKA-CEJGRYR14	Keystone Jack
7	D-Link	NCR-CEJGRYR14	Push Cord

**Standard(s)/Specification:** ANSI/TIA-568-C.2 Category 6 with the applicable electrical transmission characteristics.

**Product(s) Literature May Include:** ETL Verified 3-Connector Channel to ANSI/TIA-568-C.2 Category 6 along with channel installation, and parts numbers.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

Date Verified: 7/30/2011      Date Revisited: 8/23/2011

**Approved By:** *Kathy Hsieh* (Kathy Hsieh, Program Coordinator)      *Patricia Pelletier* (Patricia Pelletier, Engineer)

This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.

**NOTE:** This verification is part of the full test report(s) and should be read in conjunction with it.

This certificate is the property of Intertek. It is loaned to the client for their use only. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Intertek. The certificate number and date of issue are printed on this certificate. It is the responsibility of the client to ensure that the certificate is used for the intended purpose and that it is not used for any other purpose.




3801 US Route 15  
Culford, New York 13645-0824  
Phone Number: (800) 345-3811  
Fax Number: (800) 750-6157  
Web: www.intertek.com

**Intertek**

**ETL Verified Certificate of Conformance Number: 101450856CRT-001b**

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

<b>Applicant:</b> D-Link (India) Limited Unit 24, 2nd Floor, Kalpataru Square Kondhwa Lane, Off Kurla Road Andheri (East), Mumbai - 400058, India Contact: Mr. Raj Jadhav	<b>Manufacturer:</b> D-Link (India) Limited Unit 24, 2nd Floor, Kalpataru Square Kondhwa Lane, Off Kurla Road Andheri (East), Mumbai - 400058, India Contact: Mr. Raj Jadhav
--	---

Verification/Report Number: 3143722CRT-022a

**Product Tested:** 4 pair, 23 AWG, UTP, CAT5, Non-Plenum Rated, Horizontal (solid) Cable

**Model(s) and or Brand Name:** NCB-CEJGRYR-335

**Standard(s)/Specification:** ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 5 with the applicable electrical transmission characteristics

**Label marking shall include:** ETL Verified to ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 5.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

Date Verified: 12/5/2010

**Approved By:** *Janet Cash* (Janet Cash, Associate Engineer)      *Patricia Pelletier* (Patricia Pelletier, Team Leader)

This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.

**NOTE:** This verification is part of the full test report(s) and should be read in conjunction with it.

This certificate is the property of Intertek. It is loaned to the client for their use only. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Intertek. The certificate number and date of issue are printed on this certificate. It is the responsibility of the client to ensure that the certificate is used for the intended purpose and that it is not used for any other purpose.

**Intertek**

**ETL Verified Certificate of Conformance Number: 101450856CRT-001c**

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

**Applicant:** D-Link Corporation

**Manufacturer:** D-Link Corporation

**Product Tested:** 3-Connector Channel

**Standard(s)/Specification:** ANSI/TIA-568-C.2 Category 6 with the applicable electrical transmission characteristics

**Label marking shall include:** ETL Verified to ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 6

Date Verified: 7/30/2011

**Approved By:** *Kathy Hsieh* (Kathy Hsieh, Program Coordinator)      *Patricia Pelletier* (Patricia Pelletier, Engineer)

**Intertek**

**ETL Verified Certificate of Conformance Number: 101450856CRT-001d**

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

**Applicant:** D-Link Corporation

**Manufacturer:** D-Link Corporation

**Product Tested:** 3-Connector Channel

**Standard(s)/Specification:** ANSI/TIA-568-C.2 Category 6 with the applicable electrical transmission characteristics

**Label marking shall include:** ETL Verified to ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 6

Date Verified: 7/30/2011

**Approved By:** *Kathy Hsieh* (Kathy Hsieh, Program Coordinator)      *Patricia Pelletier* (Patricia Pelletier, Engineer)

**CERTIFICATE** **D-Link**

**CCCE**  
California Consumer Electronics Council

The product(s) listed below have been tested and found to comply with the applicable requirements of the referenced specifications at the time the tests were carried out.

**Product(s) Tested:** 3-Connector Channel

**Standard(s)/Specification:** ANSI/TIA-568-C.2 Category 6 with the applicable electrical transmission characteristics

**Label marking shall include:** ETL Verified to ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 6

Date Verified: 7/30/2011

**Approved By:** *Kathy Hsieh* (Kathy Hsieh, Program Coordinator)      *Patricia Pelletier* (Patricia Pelletier, Engineer)

This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.

**NOTE:** This verification is part of the full test report(s) and should be read in conjunction with it.

This certificate is the property of Intertek. It is loaned to the client for their use only. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Intertek. The certificate number and date of issue are printed on this certificate. It is the responsibility of the client to ensure that the certificate is used for the intended purpose and that it is not used for any other purpose.





## Network Infrastructure

At D-Link, building networks is what we do. Our cabling solutions have the specifications you need, the certifications you expect, the installation options you want, and the guarantees you demand – at a price you can afford.

## Fiber-Optic Cabling

D-Link covers the full range of indoor and outdoor fiber-optic solutions, from Private Enterprise Backbone Networks to Data Centers.

D-Link offers a complete range of Fiber solutions for Enterprises and Data Center (DC) scenarios, covering the patch cord, the patch panel, and the cabling itself, with both multimode (OM) and single-mode (OS) options available.

### 3 Types of Termination

All D-Link fiber cabling solutions have patch panel options in...

- ★ Direct Connection
- ★ Fusion Connection
- ★ Cassette Module




- ★ High-density Patch Options
- ★ High-density angular Fiber Patch Panels for Data Centers.
- ★ Seesaw LC Patch Cord for High-Density Applications.

## ★ Copper Cabling Solutions

Whether you are wiring up a new building, or upgrading an old one, D-Link has all the copper cabling, accessories, and options you need to bring in your project on time and on budget. From the patch cords to the keystone jacks – we've got you covered.

### Cat 5e

Capable of serving small premises with modest bandwidth needs, Category 5-enhanced (Cat 5e) solutions deliver Ethernet, Fast Ethernet, and Gigabit Ethernet speeds (10/100/1000 BASE-T), and are backwards-compatible with any legacy Cat 5 infrastructure still in place.




CAT 5e FTP CABLES




CAT 5e FTP OUTDOOR CABLES

### Cat 6

The future-ready standard for any enterprise, Category 6 (Cat 6) infrastructure can reach 10G Ethernet speeds at a range of up to 55 meters, while still offering Cat 5/5e backwards compatibility if needed. D-Link offers both shielded (STP) and unshielded (UTP) options.



CAT6 UTP 23 AWG CABLE



CAT6 FTP 24 AWG CABLES



CAT6 SFTP CABLES




DLINK KATALOG SCS\_Guide\_2018 CAT 6 FTP 23 AWG CABLES



CAT6 FTP DOUBLE SHEATH OUTDOOR CABLES

### Cat 6a

With their robust shielding (STP) and lengthy range (10G at 100 meters), our Category 6a solutions are well-suited to industrial applications that have a lot of ground to cover such as Factories, Warehouses, Oil Refineries, and Data Centers.



CAT6a UTP CABLES



CAT6a SHIELDED CABLES



## CAT6a UTP CABLES

Enhanced performance cable for transmission of high speed data, digital and analogue voice and video (RGB) signals on LANs. Supports Gigabit Ethernet (10 GbaseT) standard. Operates at bandwidth of 500 MHz. This cable well exceeds the requirements of TIA/EIA568 C. 2 Category 6 A ISO11801 2 cot Class E. Exceeds all requirements for IEE802.3 at.



## Cat6 Unshielded Angled 24 Port Loaded Patch Panel

D-Link Category 6 angled patch panels are six port RJ 45 modules applied and suitable for 22 26 AWG stranded and solid wire, compatible with both 110 & Krone punch down tools. D Link patch panels have improved Cable Management with optional Cable Management bar terminating 4 pairs UTP cable. They are complied with the ANSI/TIA/EIA 568 C. 2 standard.



The D-Link Modular Plug Crimper is suitable for the crimping of RJ45, RJ 11 and RJ 12 modular plugs. It fits 22 26 AWG wires. The Punch Down Tool helps with the termination of twisted pair cables to the keystone jacks. The colour coded yellow handle on the cut side of the tool reduces the chance for termination errors. The simplified internal impact mechanism eliminates jamming for longer, trouble free service.



D-Link CAT 6 e UTP Patch Cords are high quality four pair twisted stranded cables terminated with RJ 45 modular plugs at both the ends. It is as per the TIA/EIA 568 C. 2 standard. These patch cords are appropriate for high speed data transmission.



CAT 6 UTP PATCH CORDS  
CAT 6 STP PATCH CORDS  
CAT 6a SHIELDED PATCH CORDS  
CAT 6a UTP PATCH CORDS



## CAT 6a UTP KEYSTONE JACKS

D-Link Category 6 a keystone jacks are RJ 45 8P 8C 50u jacks suitable for 22 26 AWG stranded and solid wire, compatible with both 110 Krone punch down tools. They are available in universal labels Colour coded for T568 A and T568 B wiring schemes and fit in high density keystone patch panel. It supports IEC 60603 7-4 and complied with ANSI/TIA/EIA 568 C.2 standard.



## BACK BOXES

D-Link Backboxes are available suitable for both single, dual and quad Faceplates




## CABLE STRIPPER

This stripper is easy and safe to use, punchdown wires on modular connectors. Strip twisted pair UTP/STP data cables and wires and terminates wires into 110 blocks.



## FIBER OPTIC COMPONENTS | SC ADAPTERS

D-Link offers a full range of SC adapters that have compact design & high precision, which perform well under various circumstances & maintain good plug retention strength. Simplex and duplex adapters are available. The sleeves are basically recommended zirconia split type, the phosphor bronze split.



## FIBER OPTIC COMPONENTS | LIU FIXED 1U / 2U

D-Link 19 inch Fixed Optical Fiber Interconnection Units are the smaller basic patch panels & cabinets used in interconnecting, cross connecting, or splicing applications in LANs at a premise location.



## UNLOADED PATCH PANELS

D-Link Unloaded Patch Panel 24/48 port RJ45 modules applied and suitable for Cat 5e, Cat 6 and Cat 6 A D Link patch panel have improved cable management with optional cable management bar terminating 4 pairs UTP cable



## NETWORK LAN TESTER

The D-Link LAN Tester can be used for testing RJ45 cables, RJ11 telephone cables and network cables. It keeps your network running smoothly by testing wrong connection, short circuit and open circuit. The two part unit can be separated for remote closet testing.



## CABLE MANAGERS

A range of cable management bars designed to fit in standard 19 racks and cabinets. It mounts on standard cabinets to provide a clean, beautiful and simple means of organizing from small bundles to large bundles of cables and patch cords. The cable managers are available with metal rings type, brush manager type and metal cable management bar with cover.



## CAT 6a FTP KEYSTONE JACKS

D-Link Category 6 A FTP keystone jacks are RJ45 8P 8C 50u Jacks suitable for 22 24 AWG stranded and solid wire, compatible with both 110 & Krone punch down tools. They fit in high density keystone patch panel. Compliant with TIA/EIA 568 A and B.



## CAT 6 FTP KEYSTONE JACKS

D-Link Category 6 keystone jacks are RJ45 8P 8C 50u jacks suitable for 22 26 AWG stranded and solid wire, compatible with both 110 & Krone punch down tool. They are capable of re termination. They are available in universal labels Colour coded for T568 A and T568 B wiring schemes and fit in high density keystone patch panel.



## FACEPLATES & MODULAR INSERT

D-Link offers a range of high quality, stylish designed Faceplates for professional installations, fully compliant for copper cabling systems. The Faceplates are inbuilt with shutters which are compatible with any standard coloured keystone jacks.



## **About DINTEK:**

DINTEK Electronic Ltd is a leading manufacturer of LAN cabling systems and tools. Founded in 1990, DINTEK is headquartered in Taiwan and has a subsidiary in Switzerland covering the European market.

DINTEK offers structured LAN cabling systems for Cat.5e, Cat.6, Cat.6A, Cat.7 and Optic Fibre. For each of these categories, DINTEK supplies the cables, component, eg patch panel, patch cord, jack, plug, wall plates, etc, as well as tools and kits.

Cabling systems to a network are like blood vessels in a human body, they carry the messages (the blood) to ensure the right information (the nutrient) is delivered accurately and timely. DINTEK designs and manufactures all its products under the management of the core team in Taiwan to ensure the best product quality. Not only that they ensure their cable products meet all international standards, they also design parts and tools to ensure that terminations are done with precision and minimum effort and time, and the end results are neat and tidy.

For the benefit of large and small projects, DINTEK has designed a DCI – DINTEK Certified Installer training course. For projects connected using mainly DINTEK products and are installed by DINTEK certified installers, DINTEK provides a 25-year warranty, for their products to be free from defects (conditions applied).

In 2017, DINTEK's termination kit TECHBENCH has won the Cabling Innovators Awards run by the Cabling & Maintenance Magazine in conjunction with the BICSI Vegas conference. TECHBENCH allows the installers to work in confined spaces in front or back of teleco racks and ensures the terminations are carried out easily and effortlessly.



## DINTEK 25yr Warranty System

The DINTEK 25yr System Warranty provides the recipient with the security and assurance of knowing that their installed DINTEK system will provide the performance they need to meet their long term networking needs.

The program offers a 25-year standards based product, system performance and application assurance warranty that applies to all certified and registered links in an installation project.

The program warrants that these links will meet minimum performance requirements as specified in the relevant Commercial Building Telecommunications Cabling Standards (EIA/TIA 568 and IEC 11801).

With this minimum requirement of performance, the end user is assured that their installed system will support networking applications today and into the future which have been designed to run on their cabling system.

If any certified links subsequently fail to meet specified performance requirements, the DINTEK warranty covers the repair or replacement of defective components and/or cable and the labor associated with this repair or replacement as per the terms of the warranty.

The requirements of the warranty program include installer certification, verified compliance with the design, installation, maintenance and operation practices as well as test, labeling and administration procedures as specified in the 568C Commercial Building Telecommunications Cabling Standards.

These minimum requirements ensure that all the links will provide the expected performance requirements and also help facilitate easy changes, additions and relocations which will decrease the end users total cost of ownership over time.



### PRODUCT WARRANTY COMPONENT

The product warranty certifies that our product will continue to work for 25yrs, assuming normal working conditions.

### APPLICATION ASSURANCE WARRANTY COMPONENT

The Application Assurance Warranty states that any application that has been designed to run on the cabling system certified and which complies with the applicable standard attached to the cabling system, will continue to run for a period not exceeding 25years

### SYSTEM PERFORMANCE WARRANTY COMPONENT

The System Performance Warranty certifies that the system including cable and connecting hardware that has been tested and has passed all the requirements of the DINTEK Warranty, will meet or exceed the performance requirements of the applicable Standard that applies to its category for a period not exceeding 25yrs.



### Backed Up By Installer Certification


There is much more to cabling system performance than buying good quality cable and connecting hardware. In order to ensure that your system performs to it's full potential, a structured cabling system needs to be properly designed, installed, and administered.


Because of these critical factors, DINTEK Electronic Ltd developed the DINTEK Certified Installer Program, to offer training to our installers enabling them to install standards based structured cabling networks that would be able to take advantage of our comprehensive 25yr Warranty.

The DINTEK certified structured cabling training program provides a comprehensive theory and practical skills 1, 2 or 3-day course on the design and installation of structured cabling systems.



## Meet & Exceed Industry Standards:





### Fully Shielded 19 Patch Panel

Cat.5e 19" 110 /Krone type fully shielded patch panel 24 ports, 1U size Component level



### LAN Maintenance Tool Kit

- 8 P / 6 P crimping tool x 1
- Cable cutter x 1
- Cable stripper x 1
- Punch down tool x 1
- Boot x 20
- 6 P 4 C plug x 30
- 8 P 8 C plug x 30
- UTP Twin tester x 1



Strips jacket of Cat.5e/ 6/6A cables Equipped with cable cutting function Adjustable knob is for stripping cable O.D. from 4 to 7 mm. Turning 3 circles to extract the jacket of UTP cable, Dual function of stripper and 110 tool

## Copper Solutions



Cat6 A - 4 Pair U/UTP Cable



Cat6 - 4 Pair U/UTP Cable



Cat5 e- 4 Pair U/UTP Cable



Cat.5e 4 Pair F/UTP Cable



Color-Coded Boots



Cat.5e 4 Pair SF/UTP Cable with braiding



CAT6 SFTP CABLES



CAT6 FTP DOUBLE SHEATH OUTDOOR CABLES



CAT6a SHIELDED CABLES



CAT6a SHIELDED CABLES





6P& 8P modular plug crimps, strips & cuts tool Heavy duty & professional type Modular holders are made of ZN.Alloy light weight & durable.



### Fully Shielded Toolless Keystone Jack

Cat.6A horizontal type fully shielded Toolless keystone Jack, T568 A/B, Component level



### Fully Shielded Toolless Keystone Jack

Cat.6 Fully Shielded Toolless Keystone Jack, T 568 A/ B, Component Level




### Cat6 A Keystone Jack

Cat.6A horizontal type Keystone E Jack, T 568 A/ B, white Component level




### 19" Patch 45 Panel

Cat.6 19 " 110 type Patch 45 Panel 48 , 24 ports, 2U size Component level



### 19" Patch Panel

Cat.6 19 " 110 / krone dual type Patch Panel 24ports, 1U size with color label, Component level



### 19" Patch Panel

Cat.5 e 19 " 110 / Krone Patch Panel 24 ports, 1 U size, Component level



### Twin Tester

Materials: ABS  
Distance:1,000 m ( 3,280 ft)  
Power requirements:9 volt battery(standard or alkaline)  
Weight:240 g ( 9 oz.)  
Built in interface: USOC,EIA 568 B



This stripper is easy and safe to use, punch down wires on modular connectors. Strip twisted pair UTP/STP data cables and wires and terminates wires into 110 blocks.



### Professional Fiber Tool Kit

- 200x Microscope x 1
- Syringe x1
- Carbide scribe x1
- Stripper x1
- A/B fast epoxy glue x1
- ST & SC polish disc x1
- Glass working pad x1
- Wipe paper x3
- Kevlar cutter x1
- Crimp tool x1
- Cleanser x1
- Rubber working pad x1
- 6um/ 1 um/ 0.05 um diamond polish film x 1



### CABLE STRIPPERS/FTP Patch Cord

Molded boots prevent pin from bending and cables from kinking  
 Fully tested to meet ANSI/TIA 568 C. 2 category 6 requirements 50u " gold plating on RJ 45 plug contacts.  
 Durability: 750 cycles min. Wiring: T568 B



### 5Pairs 110 Impact Tool

Seating wire onto terminal block and cut off wire end after termination, Used for 110 type I.D.C. blocks



### ezi PANEL™

terminated and tested in facility  
 Faster & Easier installation on field  
 High density design  
 Cat.6 6 Port Cassette Fully Shielded,  
 Component level 1 U 4-cassette ( 24 Port) .



### Fully shielded Toolless Keystone Jack

This stripper is easy and safe to use, punch down wires on modular connectors. Strip twisted pair UTP/STP data Cat.5 Fully shielded Toolless Keystone Jack, T568 A/ Bbles and wires and terminates wires into 110 blocks.



### E/F Jacks

Industry Standard:UL Listed  
 High performance, exceeds ANSI/TIA568 C. 2 Category 6 Hardware transmission performance .



### CABLE STRIP Fully Shielded Keystone F Jack

Cat.6 vertical type, fully shielded keystone F Jack, T568 A/ B



### Patch cord T568 B ( 110 to RJ 45 type)

Make quick, simple 110 block connections  
 Category6 stranded cable, colored pvc jacket 110 to RJ45 type to convert one channel on a 110 block to a modular jack 110 to 110 type to link two 110 blocks  
 Wiring: T568 B( 110 to RJ 45 type), straight

**HYPERTech**<sup>®</sup>  
Technology Systems

**EI-AMIN**

COMPUTER CENTER

Is The Exclusive

Distributor for Egypt



## ABOUT **HYPERTech**:

hyper tech technology systems is Germany company established in year 2003. we start produce Data Centers and Telecom Racks and all Cabinets accessories from China factory , and all PVC Cable Duct and Number Cables from Turkey factory, The company is a collection of development of metal products, research and development of new products, and large-scale production.

The company takes “quality and credit first, best service to customer” as an aim.

The main products are as follows: network cabinets, chassis, server cabinet, control console, TV wall screen and other kinds of non-standard metal cabinet, high and low voltage power distribution cabinet, and network monitoring, security equipment, OEM production etc.. The company pays much attention to the high quality, good reputation and contractual stipulation, and has received the consistent praise from the customers. And the company is designated as long-term fixed supplier by many large enterprises at home and abroad.

With high quality and low price, the products of the company have been widely used in electronics, computer, network communication, aerospace, radio and television, building monitoring, lighting and sound, education, finance and other fields.

The products have been exported to many countries such as Egypt, America, Canada, Australia, Russia, New Zealand, Mexico, Brazil, Argentina, Jordan, Saudi Arabia, Bahrain, Nigeria, Thailand, etc. The products have formed a considerable scale sales network and customer service system at home and abroad. The company has the complete hardware and software conditions to provide high quality products and excellent service for domestic and foreign customers.

Scientific management, advanced equipment, strict training for technical workers and modern production methods ensure high quality of our products.

The company supplies high quality products with economic price.

"Quality and customer come first" is our goal. We provide customers with satisfactory products and services in accordance with international standards.

## OUT DOOR RACKS



### Network Cabinet -6U-OUT DOOR

#### Standard

Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7, GBIT3047.2-92 standard.

#### Feature

19 inch standard;

Turning angle of front door is over 180 degrees

Fans, shelf, PDU are optional

#### Loading Capacity

80KG

#### Degree of Protection

IP55

#### Material

SPCC Cold Rolled Steel

Thickness:2.0mm-1.2mm

#### Surface Finish:

Powder coating

#### Cabinet details



Ventilation hole



Fan unit optional



Sealing strip For Front door



The back with hanger for mounting



Stainless steel Round lock



Ground wire

RAL9004	RAL7035
black	grey
	

## FLOOR MOUNT CABINET



### Description

- 1) ZINC PLATED MOUNTING PROFILE
- 2) MEET IP20 PROTECTION GRADE
- 3) SECURE, FIRM AND RELIABLE
- 4) EXCELLENT AIR VENTILATION DESIGN WITH AC 120MM COOLING FANS
- 5) THREE WAYS, TOP, BOTTOM, AND REAR CABLING TUNNELS
- 6) EASY TO INSTALL AND MAINTAIN
- 7) CERTIFICATION: ISO 9001: 2000
- 8) FANS AND PDU ARE OPTIONAL

**HYPERTech-FLOOR MOUNT  
Rack - 18u6060**

### VV Cabinet Models Description:

- 1) Standard: Comply with ANSI/EIARS-310-D, DIN41491; PART1, IEC297-2, DIN41494; PART7, GB/T3047.2-92 standard. Compatible with metric ETSI and 19 inch international standard,
- 2) Material: Zinc plated mounting profiles, SPCC Cold rolled steel.
- 3) Material thickness: Mounting profile: 2.0mm, mounting rails: 1.5mm, others: 1.2mm.
- 4) Loading Capacity: 800kg.
- 5) Protection grade: IP20.
- 6) Ventilation Rate of Cabinet doors: ≥75%.
- 7) Surface Finish: Degreasing, Pickling, Phosphating, Powder coating.
- 8) Color: RAL9004(Black), RAL7035(Grey white).



**Network Cabinet -VV**

### VV Cabinet Package Contents:

- Cabinet Frame 2pcs
- Top Cover 1pc
- Vented front door 1 pc
- Cage nuts & screws 1 bag
- Castor 4pcs
- Side Panel 2pcs
- Bottom Panel 1pc
- Vented split rear door 1 pair
- Leveling feet 4pcs
- Keys 1 set

## ABOUT AKIS:

AKIS company was built in 2012 in Istanbul. Company factory is with an area of 6000 m<sup>2</sup> in the production cable trunkings products, Abs and Pc panel boards, Steel and Insulated steel spiral, Aspirator and etc. electrical materials.

With an annual production capacity of 24,000,000 mt of cable trunking, 900,000 pieces of electrical panels, 4,000,000 mt steel spirals and 750,000 aspirators, it is advancing towards

greater goals with you, our valuable business partners, without compromising on quality. We are proud to serve our valued customers, trusting our thirty years of knowledge and experience.

We are aware that the way to stand out in the globalizing world is to work consistently and to provide better quality products and services.

Our motto and our ultimate goal is the satisfaction of our customers.




## CERTIFICATES:

Our quality policy is to document our quality management system according to TSE Turkish Standards Institution and ISO 9001, to certify and to make it better. Achieve targets without losing the team spirit within the company by taking basis of "Quality Philosophy"



## Cable Trunkings



**Kapalı tip kablo kanallarımızın teknik özellikleri**

Technical specifications for closed type cable trunkings

Alev altında kendiliğinden sönmeyen baskı matrisli PVC malzeme (UL94V0 M1)

Self-extinguishing PVC fire reaction (UL94V0 M1)

Mekanik Darbelere dayanıklı.  
Resistance to mechanical shock from 2 Joule

Topraklama gereksizdir.  
No need for grounding

İstenilen boyutta kesilebilir.  
Cut down to required size

Ultraviyole ışığa dayanıklı (UV)  
Resistance to ultraviolet light (UV)

Boyandırılır.  
Paintable


ISO 9001 ISO 14001 CE TÜRKİYE



Closed Type Cable Trays



Overfloor Pvc Cable Trunkings



OVER FLOOR CABLE DUCT WOODEN



CABLE TIES

## Closed Type Cable Trays

 <p><b>12 x 12</b></p> <p>Ürün Kodu- Product Code AKSKY 12012</p> <p>Paket / Metre / Package / Meter 120 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 120 m</p>	 <p><b>15 x 10</b></p> <p>Ürün Kodu- Product Code AKSKY 15010</p> <p>Paket / Metre / Package / Meter 300 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 300 m</p>	 <p><b>12 x 12</b></p> <p>Ürün Kodu : APSKY 12012 Kablo Kanalı Bantlı Ambalaj : 320 m Self Adhesive Cable Trunking Box : 320 m</p>		
 <p><b>16 x 16</b></p> <p>Ürün Kodu- Product Code AKSKY 16016</p> <p>Paket / Metre / Package / Meter 250 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 250 m</p>	 <p><b>20 x 10</b></p> <p>Ürün Kodu- Product Code AKSKY 20010</p> <p>Paket / Metre / Package / Meter 240 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 240 m</p>	 <p><b>15 x 10</b></p> <p>Ürün Kodu : APSKY 15010 Kablo Kanalı Bantlı Ambalaj : 300 m Self Adhesive Cable Trunking Box : 300 m</p>	 <p><b>16 x 16</b></p> <p>Ürün Kodu : APSKY 16016 Kablo Kanalı Bantlı Ambalaj : 250 m Self Adhesive Cable Trunking Box : 250 m</p>	 <p><b>20 x 10</b></p> <p>Ürün Kodu : APSKY 20010 Kablo Kanalı Bantlı Ambalaj : 240 m Self Adhesive Cable Trunking Box : 240 m</p>
 <p><b>25 x 16</b></p> <p>Ürün Kodu- Product Code AKSKY 25016</p> <p>Paket / Metre / Package / Meter 154 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 154 m</p>	 <p><b>25 x 25</b></p> <p>Ürün Kodu- Product Code AKSKY 25025</p> <p>Paket / Metre / Package / Meter 96 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 96 m</p>	 <p><b>25 x 16</b></p> <p>Ürün Kodu : APSKY 25016 Kablo Kanalı Bantlı Ambalaj : 154 m Self Adhesive Cable Trunking Box : 154 m</p>	 <p><b>25 x 25</b></p> <p>Ürün Kodu : APSKY 25025 Kablo Kanalı Bantlı Ambalaj : 96 m Self Adhesive Cable Trunking Box : 96 m</p>	 <p><b>40 x 16</b></p> <p>Ürün Kodu : APSKY 40016 Kablo Kanalı Bantlı Ambalaj : 84 m Self Adhesive Cable Trunking Box : 84 m</p>
 <p><b>40 x 16</b></p> <p>Ürün Kodu- Product Code AKSKY 40016</p> <p>Paket / Metre / Package / Meter 84 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 84 m</p>	 <p><b>40 x 25</b></p> <p>Ürün Kodu- Product Code AKSKY 40025</p> <p>Paket / Metre / Package / Meter 72 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 72 m</p>	 <p><b>40 x 25</b></p> <p>Ürün Kodu : APSKY 40025 Kablo Kanalı Bantlı Ambalaj : 80 m Self Adhesive Cable Trunking Box : 80 m</p>	 <p><b>40 x 40</b></p> <p>Ürün Kodu : APSKY 40040 Kablo Kanalı Bantlı Ambalaj : 72 m Self Adhesive Cable Trunking Box : 72 m</p>	 <p><b>60 x 40</b></p> <p>Ürün Kodu : APSKY 60040 Kablo Kanalı Bantlı Ambalaj : 48 m Self Adhesive Cable Trunking Box : 48 m</p>
 <p><b>50 x 50</b></p> <p>Ürün Kodu- Product Code AKSKY 50050</p> <p>Paket / Metre / Package / Meter 48 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 48 m</p>	 <p><b>50 x 50</b></p> <p>Ürün Kodu- Product Code AKSKY 50050</p> <p>Paket / Metre / Package / Meter 32 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 32 m</p>	 <p><b>40 x 40</b></p> <p>Ürün Kodu- Product Code AKSKY 40040</p> <p>Paket / Metre / Package / Meter 72 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 48 m</p>	 <p><b>50 x 50</b></p> <p>Ürün Kodu- Product Code AKSKY 50050</p> <p>Paket / Metre / Package / Meter 48 m</p> <p>Malzeme / Material Naylon / Nylon</p> <p>Paket / Metre / Package / Meter 32 m</p>	





**60 x 40**



Ürün Kodu - Product Code  
**AKIS - 120000 Kutu** Kutu - Box  
Paket / Metre - Package / Meter 48 mt  
**AKIS - 120000 Naylon** Naylon / Nylon  
Paket / Metre - Package / Meter 30 mt



**80 x 40**



Ürün Kodu - Product Code  
**AKIS - 120040 Kutu** Kutu - Box  
Paket / Metre - Package / Meter 30 mt  
**AKIS - 120040 Naylon** Naylon / Nylon  
Paket / Metre - Package / Meter 24 mt



**80 x 60**



Ürün Kodu - Product Code  
**AKIS - 120060 Kutu** Kutu - Box  
Paket / Metre - Package / Meter 32 mt  
**AKIS - 120060 Naylon** Naylon / Nylon  
Paket / Metre - Package / Meter 24 mt



**60 x 60**



Ürün Kodu - Product Code  
**AKIS - 120060 Kutu** Kutu - Box  
Paket / Metre - Package / Meter 40 mt  
**AKIS - 120060 Naylon** Naylon / Nylon  
Paket / Metre - Package / Meter 22 mt



**75 x 75**



Ürün Kodu - Product Code  
**AKIS - 120075 Kutu** Kutu - Box  
Paket / Metre - Package / Meter 24 mt  
**AKIS - 120075 Naylon** Naylon / Nylon  
Paket / Metre - Package / Meter 16 mt



**YENİ ÜRÜN  
NEW PRODUCT**

**100 x 100**



Ürün Kodu - Product Code  
**AKIS - 120100 Kutu** Kutu - Box  
Paket / Metre - Package / Meter 18 mt  
**AKIS - 120100 Naylon** Naylon / Nylon  
Paket / Metre - Package / Meter 12 mt



**100 x 40**



Ürün Kodu - Product Code  
**AKIS - 120140 Kutu** Kutu - Box  
Paket / Metre - Package / Meter 20 mt  
**AKIS - 120140 Naylon** Naylon / Nylon  
Paket / Metre - Package / Meter 16 mt



**100 x 60**



Ürün Kodu - Product Code  
**AKIS - 120600 Kutu** Kutu - Box  
Paket / Metre - Package / Meter 24 mt  
**AKIS - 120600 Naylon** Naylon / Nylon  
Paket / Metre - Package / Meter 16 mt



**YENİ ÜRÜN  
NEW PRODUCT**

Ara bölme takılabilir - Partition can be attached

**120 x 60**



Ürün Kodu - Product Code  
**AKIS - 121600 Kutu** Kutu - Box  
Paket / Metre - Package / Meter 20 mt  
**AKIS - 121600 Naylon** Naylon / Nylon  
Paket / Metre - Package / Meter 12 mt

## Overfloor Cable Trunkings



**50 x 12**



Ürün Kodu- Product Code  
**APSZ 508 x 12**

Ambalaj Miktarı - Package Total	60 m
Ambalaj Şekli- Package	Kutu - Box



**50 x 12**



Ürün Kodu- Product Code  
**APSEY 508 x 12**

Ambalaj Miktarı - Package Total	60 m
Ambalaj Şekli- Package	Kutu - Box



**70 x 20**



Ürün Kodu- Product Code  
**APSZ 708 x 20**

Ambalaj Miktarı - Package Total	60 m
Ambalaj Şekli- Package	Kutu - Box



**70 x 20**



Ürün Kodu- Product Code  
**APSEY 708 x 20**

Ambalaj Miktarı - Package Total	60 m
Ambalaj Şekli- Package	Kutu - Box



**90 x 20**



Ürün Kodu- Product Code  
**APSZ 908 x 20**

Ambalaj Miktarı - Package Total	20 m
Ambalaj Şekli- Package	Kutu - Box



**90 x 20**



Ürün Kodu- Product Code  
**APSEY 908 x 20**

Ambalaj Miktarı - Package Total	20 m
Ambalaj Şekli- Package	Kutu - Box

## OVER FLOOR **CABLE DUCT WOODEN**




### AHŞAP DESENLER İÇİN RENK SEÇENEKLERİ

AVAILABLE COLOUR OPTIONS

### KAPLAMA COVERINGS



LMD 280  
Yeni Meşe  
New Oak




LMD 212  
Koyu Ceviz  
Dark Walnut



LMD 249  
Antik Ceviz  
Antique Walnut



LMD 291  
Amerikan  
Ceviz  
American  
Walnut




LMD 289  
Yaban Elma  
Wild Apple



LMD 236  
Koyu Bambu  
Dark Bamboo


## Cable TIE



KOD CODE	EN WIDTH	BOY SIZE	POŞET MİKTARI BAG PCS.	KOLİ MİKTARI BOX PCS.	MAKSİMUM SIKMA ÇAPı (MM) MAX. CLAMPING DIAMETER (MM)	AÇILMA MUKAVEMETİ (KG) TENSILE STRENGTH (KG)
AK 12510	2,5	100	250	40.000	26	8
AK 12515	2,5	150	100	20.000	35	8
AK 12520	2,5	200	100	15.000	50	8
AK 13615	3,6	150	100	10.000	35	18
AK 13620	3,6	200	100	10.000	50	18
AK 13625	3,6	250	100	10.000	65	18
AK 13630	3,6	300	100	10.000	80	18
AK 13637	3,6	370	100	10.000	100	18
AK 14820	4,8	200	100	10.000	50	25
AK 14825	4,8	250	100	10.000	65	25
AK 14830	4,8	300	100	10.000	80	25
AK 14838	4,8	380	100	5.000	100	25
AK 14840	4,8	400	100	5.000	102	25
AK 17630	7,6	300	100	3.000	85	55
AK 17638	7,6	380	100	2.500	102	55
AK 17645	7,6	450	100	3.000	135	55
AK 17655	7,6	550	100	2.500	165	55
AK 19078	9,0	780	100	1.000	235	80
AK 19095	9,0	950	100	1.000	280	80

## 100x 50 Inside Cover Cable Trunking And Accessories

**100 x 50**




100 mm

50 mm



Ürün Kodu - Product Code  
**APSK - 100050**

Uzunluk - Length	2m
Kesit - Section	100 x 50
Ambalaj Miktarı (m) - Package Total (m)	16 Mt.
Ambalaj Şekli - Package	Koli - Carton Box

**3 ara bölme takılabilir - Up to 3 divider possibility**



TSE 130124-TSE-02/02




**AP-150AB**

Ara Bölme  
Divider  
Kutu: 100 Adet  
Box: 100 Pcs.



**AP-1501-K**

İç Köşe (Bağlantı Elemanı)  
Internal Corner  
Kutu: 12 adet  
Box: 12 Pcs.



**AP-150DK**

Dış Köşe (Bağlantı Elemanı)  
External Corner  
Kutu: 10 adet  
Box: 10 Pcs.



**AP-150L**

L Bağlantı Elemanı 90°  
90° Corner Piece  
Kutu: 12 adet  
Box: 12 Pcs.



## Panels and Manholes



### ABS Termoplastik Buat - ABS Thermoplastic Box

KOD CODE	ÜRÜN ÖLÇÜLERİ SIZE	KORUMA SINIFI PROTECTION CLASS	RENK COLOUR	KOLI ADEDİ BOX PCS
ABS-757540	70x70x40	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABS-858540	85x75x45	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABS-11011090	110x110x50	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABS-8012065	80x120x60	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABS-80120110	110x130x65	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABS-13023085	110x180x85	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABS-130230120	130x230x85	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABS-230310130	200x250x90	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABS-230310180	230x310x130	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABS-12021065	120x210x65	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABS-14019065	140x190x65	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1



### Şeffaf Kapaklı Buat - ABS Thermoplastic Box with Transparent Cover

KOD CODE	ÜRÜN ÖLÇÜLERİ SIZE	KORUMA SINIFI PROTECTION CLASS	RENK COLOUR	KOLI ADEDİ BOX PCS
ABSA-11011090	110x110x90	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABSA-110110120	110x110x120	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABSA-8012065	80x120x100	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABSA-11150110	11x150x110	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABSA-11180115	11x180x115	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABSA-13023085	130x230x85	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABSA-130230120	130x230x120	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1
ABSA-230310130	230x310x130	IP 55 (67 Tane Opsiyonel)	Grî-Grey	1





**EL-AMIN**  
COMPUTER CENTER




# **EL-AMIN**

## WareHouse





**EL-AMIN**  
COMPUTER CENTER



# **EL-AMIN**

## WareHouse



**EL-AMIN**  
COMPUTER CENTER



# **EL-AMIN**

## Al Bostan Branch



**EL-AMIN**  
COMPUTER CENTER



YOU COULD  
**Scan QR CODE**



***For Full***  
*Company Profile Version*

## HQ

Ad: Mall Walk of Cairo B34 - Beverly Hills -  
Sheikh Zayed - Giza  
Mob: 01203900333  
info@elamin-eg.com  
Zip: 12588

## Al-Bostan Branch

Ad:A I Bostan Mall,Cairo  
Phone:(+202 ) 23959768 - 23926448 - 23962211 - 23915918 - 23911014  
HotLine:(+2) 01226677775  
info@elamin-eg.com  
Zip:11513

## Warehouse

Ad: 4 El Amin St. Haram,Giza, Egypt  
Mobile: (+2 )01002139916  
info@elamin-eg.com  
Zip:12841

